



ReJuviClean®

Renews Protective Coatings on Concrete & Stone Surfaces

ReJuviClean is a unique formulation that both cleans and renews protection against oil, water and stains on concrete and stone surfaces. This product is designed for high-performance building restoration and preservation applications.

Description

This product is a specially formulated, proprietary blend of fluoropolymer chemistry and cleaning agents designed to clean stone surfaces while rejuvenating oil, water and stain repellency applications. This product is designed to be used on surfaces previously treated with Presto's **ReJuviSeal®**, **Protect-A-Stone®** or **Stone Guardian®** products. If desired, ReJuviClean may be used on unprotected surfaces. Applying ReJuviClean five times is equivalent to applying one full-strength coat of ReJuviSeal. This product contains ingredients that react with the silica within the stone to form a protective barrier against water, oil and stains.

REVOLUTIONIZING THE BUILDING MAINTENANCE INDUSTRY

Specifications

Advantages

- Water-based
- Cost-effective
- Keeps surfaces looking new
- Repels oil, water and stains
- Low VOC content
- Works in most cleaning machines
- Environmentally friendly
- Excellent UV resistance
- Reduces leaching from stone surfaces
- Great coverage rates
- Low odor
- Suitable for indoor use
- Cleans and protects simultaneously
- Safe on glass
- Will not discolor stone
- Will not fade, crack or peel

- Easy substrate cleaning
- Excellent surface bonding capabilities
- Suitable on polished stone and dense surfaces
- Creates breathable surface

Intended Use

Can be used on concrete, masonry and stone surfaces.

Horizontal or Vertical

Can be used on either horizontal or vertical surfaces.

Dilution

Dilute for use in concrete scrubbing machines or use full strength.

Coverage Rates

- 250 to 350 sq. ft. per gallon (undiluted)
- 550 to 750 sq. ft. per gallon (50% diluted)
- 1,000 to 1,500 sq. ft. per gallon (25% diluted)

Surface Preparation

Complete all caulking and surrounding construction substrate applications prior to using this product. Newly installed stone or grout must be allowed to cure before application. Protect against personal contact with this and all chemical products. Protect any unintended surfaces.



Always test in a small, inconspicuous area prior to use. For heavily soiled surfaces, some pre-cleaning may be required. Do not apply in below-freezing temperatures.

Application

Use a low pressure sprayer, roller, brush, sponge or lambs wool applicator. This product can also be used in a pressure washing chemical injector or closed loop system. Allow product to saturate surface, but do not allow product to dry on the surface. Once soil is loosened, lightly rinse the surface with a pressure washer or garden hose. Do not apply direct water pressure to the stone while rinsing.

Protection will begin immediately after sealant dries on the surface. Cure time for maximum water and stain protection is 24-72 hours. Application rates, concentration, temperature and humidity can impact dry and cure time.

For buildings: This product is designed to seal precast while it cleans. It is suitable for a variety of stone surfaces, and functions to create an oil-, water- and stain-repellent finish. It protects against stains and is safe on glass and metal surfaces.

For parking garages: This product should be used to clean surfaces that need to be protected from water, oil and stains. For best results, use ReJuviSeal, oil-repellent finish, on the surface in order to protect concrete from vehicle stains like motor oil and transmission fluid. Use

ReJuviClean® Suitability Sheet

Substrate	Type	Polished	Rough	H	V	Coverage Rates
Architectural Materials	Concrete	Yes	Yes	Yes	No	250 to 1,500 sq. ft.
	Precast	Yes	Yes	Yes	No	250 to 1,500 sq. ft.
	Cast in Stone	Yes	Yes	Yes	No	250 to 1,500 sq. ft.
	Stucco	Yes	Yes	Yes	No	250 to 1,500 sq. ft.
	Terrazzo	Yes	Yes	Yes	No	250 to 1,500 sq. ft.
Siliceous Natural Stone	Quartz	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Quartzite	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Granite	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Serpentine	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Slate	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Sandstone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Bluestone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Brownstone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Flagstone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
Soapstone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.	
Calcareous Natural Stones	Limestone	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Marble	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Travertine	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
Masonry and Grout	Brick	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Pavers	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Block	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Burnished Block	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Split-Face Block	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
Tile and Grout	Mexican Tile	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Unglazed tile	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Clay	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Terra-Cotta	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Quarry Tile	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Ceramic Tile	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.
	Porcelain Tile	Yes	Yes	Yes	Yes	250 to 1,500 sq. ft.

Sq. ft. is per gallon of product for one coat of material
 H - Horizontal Surfaces
 V - Vertical Surfaces



ReJuviClean on a regular basis with a street cleaner, concrete cleaning machine or pressure washer to maintain maximum repellency and keep the surface clean.

For driveways: Driveways previously sealed with **ReJuviSeal** or **Protect-A-Stone** can be easily maintained using this product. Simply rinse down the driveway using **ReJuviClean** to clean any soils that may have accumulated and renew the water, oil and stain repellency.

For Polished Stone: This product can also be used with a spray bottle and a rag to clean and install protection simultaneously on polished stone surfaces.

In many instances, a combination of different stone cleaning products is necessary for various stone surfaces depending on their level and type of staining. Presto offers a complete line of stone cleaning products for all situations, including:

- **Stone Restore® HD**
For difficult to remove mineral stains caused by efflorescence, rusting, red clay, iron, and more
- **Stone Restore® NC**
For general cleaning of sensitive stone surfaces that require a neutral cleaner
- **Stone Restore® A+**
For heavy stains caused by oil, grease, grime and environmental pollution

- **Stone Restore® CT**
A citrus multi-purpose stone cleaner that removes oil and a variety of stains
- **Stone Restore® CB²**
For difficult to remove biological stains
- **Stone Restore® PS**
For stubborn surface contamination on all types of polished stone

Stain & Product Effectiveness	
Dust & Dirt	Yes
Mildew	No
Mold	No
Algae	No
Soap Scum	Yes
Exhaust	Yes
Efflorescence	No
Mineral Deposits	No
Rust	No
Red Clay	No
Caulking Residue	No
Waterproofing Leaching	No
Oil	No
Grease	No
Food Stains	Yes

For more product information, refer to the stone stain compatibility charts on Presto's website.

Cleanup

Clean tools and equipment with soap and water. Clean any area that may have overspray with one of the following products:

- **Sticker Shocker®** Hard Surface Sticky Residue Remover

- **EnviRestore®** Glass Stain Remover
- **EnviRestore®** Metal Stain Remover

Protected Surface Maintenance Instructions

For ongoing maintenance of the protected surface, simply wash or wipe the surface again with **ReJuviClean**. It will clean and protect the surface simultaneously.

Warranties

The information provided by Presto for the safe and effective use of this product, and all of our products, is believed to be good and accurate. However, due to the many different possible applications of this product, careful considerations should be made when selecting its suitability for each surface.

The information provided should never be substituted for individual testing to ensure the product's compatibility with each surface intended for use. The purchaser shall assume all responsibility for determining the suitability of this product. When used as intended, this product will perform as stated. No other warranty can be made for this product, verbally or written.

Presto warrants this product to be free from defects. In the event this product is found to be defective, we will provide a sufficient amount of product to replace the defective product.



Info Chart	
Water Based	Yes
Flammable	No
User Friendly	Yes
Economically Efficient	Yes
Environmentally Friendly	Yes
Color	Slightly yellow
Smell	Unique

Green Synergy Product

Presto's Green Synergy Products™ work synergistically with each other to protect all surfaces of a building without damaging Presto's protective coatings present on those surfaces. These products are designed to be the longest lasting protection available for preserving the appearance of buildings.

Green Synergy Products are designed so that they will not easily break down and leach degrading materials onto adjacent surfaces.

Green Synergy Products work to save you money. Listed on our website is a 10-year Return on Investment graph that depicts the long-term cost savings associated with using Presto's Green Synergy Products compared to competitive options that utilize older technology. More information can be found at www.IsYourBuildingGreen.com

About Presto

Presto Restoration Products was created to implement higher performing technology, safer practices and products that provide a better return on investment to the building restoration and maintenance industry. Our expertise is researching and developing products and techniques to restore and preserve the magnificence of high-rise buildings built with architectural glass, metal and stone surfaces.


Presto strives to design products that comply with the Green Building Standards Act, which promotes better environmental standards for the construction, rehabilitation and maintenance of buildings:

- Improve energy efficiency and increase generation of energy through renewable and clean energy technologies
- Increase the demand for environmentally preferable building materials, finishes and furnishings
- Improve the environment by decreasing the discharge of pollutants from buildings
- Create industry and public awareness of new technologies that can improve the quality of life for building occupants
- Improve the health and productivity of building occupants by meeting advanced criteria for indoor environmental quality

At Presto, we have mastered the art of balancing quality and compliance through our dedication to Building Product Synergy™ for a safer, greener environment.

Presto continues to perform extensive research, development and testing on various methods of commercial exterior restoration and preservation.

Product Availability
 ReJuviClean is available in the following sizes:
 5-Gallon Pail



PRESTO RESTORATION PRODUCTS

555 North Point Center East
 4th Floor
 Alpharetta, GA 30022

Website
www.PrestoRestorationProducts.com

Phone
 770.454.8725
 or 877.329.0472

Email
info@PrestoRestorationProducts.com