



## Stone Restore® NC

### Neutral Stone Restoration Cleaner

Stone Restore NC is a general purpose restoration cleaner for sensitive limestone, marble and travertine surfaces.

#### Description

This product is specifically developed for use on chemically sensitive architectural stone surfaces. While it can be used for horizontal concrete surfaces, Presto's **Stone Restore® HD** and **Stone Restore® CT** are better suited for projects needing a more aggressive cleaner. This product is safe on glass and anodized aluminum frames.

## REVOLUTIONIZING THE BUILDING MAINTENANCE INDUSTRY

### Specifications

#### Advantages

- Low odor
- Suitable for indoor use
- Safe on sensitive stone surfaces, as well as metal frames and glass
- Environmentally friendly
- Eradicates stains without harsh chemicals

#### Horizontal or Vertical

This product is suitable for use on horizontal or vertical surfaces.

#### Intended Use

This product is designed for use on limestone, marble, travertine and other calcium-based stones.

#### Limitations

Stone Restore NC is designed for light-duty cleaning only.

#### Necessary Equipment

- Protective gear
- Running water
- Chemical sprayer
- Pressure washer (optional)
- Stone brush (optional)

#### Dilution

Dilute product depending on the application as follows: For horizontal concrete, dilute product 5 to 1 with water. For removal of grease and grime, dilute 1 to 4 with water. For light stains, dilute up to 1 oz. product with 1 gal. of water.

#### Surface Preparation

Protect unintended surfaces from contact, including traffic and pedestrian areas below the project, electric tools, fabrics, furniture, fixtures and plants. Always test in a small, inconspicuous area prior to use.

#### Application

Wet the surface prior to application and have running water available to keep the surface damp. Apply an even coat of cleaner using a low-pressure (40 psi max.), chemical-resistant sprayer. Starting at the bottom, work the product upward, spreading an even coat on the surface. Keep area wet with Stone Restore NC to loosen soil. Immediately rinse any unintended surfaces, such as glass or frames.

Allow cleaner to penetrate the surface for 10-20 minutes, but do not allow surface to dry.

After product has saturated the stone, rinse using a pressure washer and a white, 40-degree tip or a green, 25-degree tip. Keep the tip as far away from the surface as possible. If a pressure washer



is not available, use a brush to help loosen stubborn soils. For best results, rinse using heated, deionized water.

Always rinse the area thoroughly to ensure no product is left behind. Multiple applications may be required for heavily soiled, porous or absorbent surfaces, and should be applied immediately after the initial application. Follow the same instructions for each application.

Situations including various stone types or different natured stains may require multiple products. Presto's stone cleaning line includes:

- **Stone Restore® HD**  
For difficult to remove mineral stains caused by efflorescence, rusting, red clay, iron and more
- **Stone Restore® A+**  
For heavy stains caused by oil, grease, grime and environmental pollution
- **Stone Restore® CT**  
A multi-purpose stone cleaner that removes a variety of stains from all types of stone materials
- **Stone Restore® CB<sup>2</sup>**  
For difficult to remove biological stains
- **Stone Restore® PS**  
For stubborn surface contamination on all types of polished stone

### Precautions

Use as directed. **Stone Restore NC** may cause discoloration on stone surfaces or affect adhesion of water repellants if not removed completely. Never let this product dry on the surface.

Stone Restore® NC Suitability Sheet						
Substrate	Type	Polished	Rough	H	V	Coverage Rates
Architectural Materials	Concrete	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Precast	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
	Cast in Stone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Stucco	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Terrazzo	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
Siliceous Natural Stone	Quartz	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Quartzite	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Granite	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Serpentine	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Slate	Yes	Yes	Yes	Yes	300 to 700 sq. ft.
	Sandstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Bluestone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Brownstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
	Flagstone	Yes	Yes	Yes	Yes	150 to 300 sq. ft.
Calcareous Natural Stones	Soapstone	Yes	Yes	Yes	Yes	300 to 500 sq. ft.
	Limestone	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
	Marble	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
Masonry and Grout	Travertine	Yes	Yes	Yes	Yes	150 to 250 sq. ft.
	Brick	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Pavers	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Burnished Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
Tile and Grout	Split-Face Block	Yes	Yes	Yes	Yes	150 to 200 sq. ft.
	Mexican Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Unglazed tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Clay	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Terra-Cotta	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Quarry Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
	Ceramic Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.
Porcelain Tile	Yes	Yes	Yes	Yes	400 to 600 sq. ft.	

Coverage rates are calculated based on using an undiluted amount of product  
 Sq. ft. is per gallon of product for one coat of material  
 H - Horizontal Surfaces  
 V - Vertical Surfaces



Stain & Product Effectiveness	
Dust & Dirt	Yes
Mildew	Yes
Mold	Yes
Algae	Yes
Soap Scum	Yes
Exhaust	Yes
Efflorescence	No
Mineral Deposits	No
Rust	No
Red Clay	No
Caulking Residue	No
Waterproofing Leaching	No
Oil	No
Grease	No
Food Stains	Yes

**Recommendations**

We recommend the use of one of Presto's stone protective treatments to protect the newly restored surface for years:

- **Leach Stop®** – Mineral Leaching Mitigation Treatment™
- **ElaSticone®** – Silicone sealer for concrete, masonry and stone surfaces
- **ElaSticone® GSX** – Silicone with graffiti protection for concrete, masonry and stone surfaces
- **Protect-A-Stone®** – High-performance oil protection for stone surfaces
- **Stone Guardian®** – UV-resistant, breathable protection for superior water, oil and stain resistance
- **ReJuviSeal®** – Rejuvenating oil protection for stone surfaces
- **Stone Enhancer® Series** – Film-forming, acrylic-based protection for stone surfaces

**Warranties**

The information provided by Presto for the safe and effective use of this product, and all of our products, is believed to be good and accurate. However, due to the many different possible applications of this product, careful considerations should be made when selecting its suitability for each surface.

The information provided should never be substituted for individual testing to ensure the product's compatibility with each surface intended for use. The purchaser shall assume all responsibility for determining the suitability of this product. When used as intended, this product will perform as stated. No other warranty can be made for this product, verbally or written.

Presto warrants this product to be free from defects. In the event this product is found to be defective, we will provide a sufficient amount of product to replace the defective product.

Info Chart	
Water Based	Yes
Flammable	No
User Friendly	Yes
Economically Efficient	Yes
Environmentally Friendly	No
Color	Green
Smell	Unique

**Green Synergy Product**

Presto's Green Synergy Products™ work synergistically with each other to protect all surfaces of a building without damaging Presto's protective coatings present on those surfaces. These products are designed to be the longest lasting protection available for preserving the appearance of buildings.

Green Synergy Products are designed so that they will not easily break down and leach degrading materials onto adjacent surfaces.

Green Synergy Products work to save you money. Listed on our website is a 10-year Return on Investment graph that depicts the long-term cost savings associated with using Presto's Green Synergy Products compared to competitive options that utilize older technology. More information can be found at [www.IsYourBuildingGreen.com](http://www.IsYourBuildingGreen.com)

**About Presto**

Presto Restoration Products was created to implement higher performing technology, safer practices and products that provide a better return on investment to the building restoration and maintenance industry. Our expertise is researching and developing products and techniques to restore and preserve the magnificence of high-rise buildings built with architectural glass, metal and stone surfaces.

Presto strives to design products that comply with the Green Building Standards Act,



which promotes better environmental standards for the construction, rehabilitation and maintenance of buildings:

- Improve energy efficiency and increase generation of energy through renewable and clean energy technologies
- Increase the demand for environmentally preferable building materials, finishes and furnishings
- Improve the environment by decreasing the discharge of pollutants from buildings
- Create industry and public awareness of new technologies that can improve the quality of life for building occupants
- Improve the health and productivity of building occupants by meeting advanced criteria for indoor environmental quality

At Presto, we have mastered the art of balancing quality and compliance through our dedication to Building Product Synergy™ for a safer, greener environment.

Presto continues to perform extensive research, development and testing on various methods of commercial exterior restoration and preservation.

#### Product Availability

Stone Restore NC is available in the following sizes:

5-Gallon Pail



555 North Point Center East  
4<sup>th</sup> Floor  
Alpharetta, GA 30022

#### Website

[www.PrestoRestorationProducts.com](http://www.PrestoRestorationProducts.com)

#### Phone

770.454.8725  
or 877.329.0472

#### Email

[info@PrestoRestorationProducts.com](mailto:info@PrestoRestorationProducts.com)